

Astronomical alignments as the cause of $\sim M6+$ seismicity

Mensur Omerbashich

The European Royal Society, omerbashich@theroyalsociety.eu; cc: omerbashich@gmail.com

I here demonstrate empirically my georesonator concept in which tidally induced magnification of Earth masses' resonance causes seismicity. To that end, I show that all strong ($\sim M6+$) earthquakes of 2010 occurred during the Earth's long ($t > 3$ day) astronomical alignments within our solar system. I then show that the same holds true for all very strong ($\sim M8+$) earthquakes of the decade of 2000's. Finally, the strongest ($M8.6+$) earthquakes of the past century are shown to have occurred during the Earth's multiple long alignments, whereas half of the high-strongest ($M9+$) ones occurred during Full Moon. I used the comet C/2010 X1 (Elenin), as it has been adding to robustness in terms of very strong seismicity since 2007 (in terms of strongest seismicity: since 1965). The Elenin will continue intensifying the Earth's very strong seismicity until August-October, 2011. Approximate forecast of earthquakes based on my discoveries is feasible. This demonstration proves my hyperresonator concept, arrived at earlier as a mathematical-physical solution to the most general extension of the georesonator concept possible.

Introduction

The Earth's $\sim M7+$ seismicity can arise as a natural response of our planet to its alignments with other celestial objects, the Sun/Moon in particular [1]. Such seismicity exhibits an up to 3-day phase and a maximum displacement of up to ~ 10 m which corresponds to $M9.5$ quakes which are the strongest allowed in a luni-solar *georesonator* (the Earth as a mechanical oscillator forced by celestial bodies) [1]. That is the extreme case-scenario for our solar system.

I have already verified the georesonator theoretically, by extending it to the most general realm – that of the *hyperresonator* (the Universe thought of as a mechanical oscillator

forced by other Universes). As the result, a remarkable mathematical solution was arrived at: the first analytical expression for the Newtonian gravitational constant, G , was derived for various scales [2]. Here, rather than looking just into the Moon-Sun forcing, I expand the georesonator so to consider the forcing of the Earth by other celestial objects presently found in our solar system as well.

Units of time are given to within ± 1 day, as differential orbital inclinations in the nearly coplanar solar system can be safely ignored. The alignments were estimated to ± 1 arc $^\circ$, and the ' \sim ' means $\pm 5\%$.

Verification

The georesonator concept is herein verified by comparing the epochs of the last year's strong ($\sim M6+$), the last decade's very strong ($\sim M8+$), as well as the last century's strongest ($M8.6+$) seismicity, against the Earth's alignments with significant bodies of mass in our solar system. Here 'significant' are all objects between the Sun and the Neptune's orbit, which can cause gravitational shadowing on the Earth, akin to that demonstrably caused by the Sun/Moon [1] [2]. Therefore, I include the following celestial objects in this verification: the Sun, the Mercury, the Venus, the Mars, the Jupiter, the Saturn, the Uranus, the Neptune, and the comet C/2010X1 (Elenin). The Elenin is included for two reasons: first, it drags with it a cloud of gravitationally locked particles around 30,000 km across, making its gravitational shadowing significant for proving the georesonator, and, secondly, it passed the Uranus orbit (on the Elenin's own sling-orbit about the Sun) within the previous decade, adding to the verification's robustness in terms of very strong seismicity. The Elenin has started affecting the Earth's strongest seismicity around mid 1960-ies.

The use of the previous decade gives ten years of seismic data which are same in kind but entirely independent from the (1990's) data that I had used to prove the georesonator

mathematically-physically [1][2]. The JPL Orbit Solutions for C/2010X1 (16 and 23 March 2011) were used for resolving the alignments [3]. The earthquake data are from USGS [4], and lunar phases are from NASA [5].

Thus the verification as presented herein is entirely methodological. No statistical testing was done due to relatively small sample sizes. Then methodological verification suffices, but also because of diverse distributions [1], and the fact that mathematical-physical verification has been achieved (via independent reasoning) [2].

Then in order to empirically verify the georesonator concept, it suffices to show that all strong earthquakes of 2010 have occurred during the astronomical alignments, and in a self-evident fashion. I arbitrarily select 2010 because it contained the most robust data, presumably due to the proximity of the approaching Elenin. Secondly, one has to show that the very strong decadal earthquakes occurred during the alignments as well. Lastly, the past century's strongest earthquakes must be demonstrated also to have occurred during the alignments. Note that the total number of the alignments and very strong earthquakes is nearly the same over the selected test periods. Here 'nearly' depicts the difference ascribable solely to earthquakes of lower magnitude class.




Figure 1. The resonance magnification pattern, as a gravitational shadow traverses the Earth thus disturbing the Earth's masses; cases A-O, Table 1. The resolution increases with the Earth's response as measured by the number of (strong) earthquakes where the total resolvedness is attained past the minimum resolution of 3 (successive strong) earthquakes.

	ALIGNMENTS	DATE	MOON	LOCATION	MAGNITUDE	DEPTH	LABEL
	Earth-Mercury-Sun-Venus	Jan 03 2010		Solomon Isles	Mw=6.6	d=26.0 km	PS
	Earth-Mercury-Sun-Venus	Jan 03 2010		Solomon Isles	Mw=7.1	d=25.0 km	PS
A	Earth-Mercury-Sun-Venus	Jan 05 2010		Sandwich Isles	Mw=6.8	d=10.0 km	PS
	Earth-Mercury-Sun-Venus	Jan 05 2010		Solomon Isles	Mw=6.8	d=15.0 km	PS
	Earth-Sun-Venus	Jan 10 2010		Indonesia	Mw=5.1	d=65.0 km	PS
B	Earth-Sun-Venus	Jan 10 2010		California US	Mw=6.5	d=29.0 km	PS
	Earth-Sun-Venus	Jan 12 2010		Haiti	Mw=7.0	d=13.0 km	PS
	Earth proximal to: Mars-Sun-Venus	Jan 17-25 10		Yellowstone US	(swarm w/1000s of events)		PS
	Mars-Earth-Venus	Jan 28 2010					
	Mars-Earth-Sun; Moon-Earth-Sun	Jan 30 2010	F	China	Mw=5.1	d=10.0 km	MPS
	Mars-Earth-Mercury; Earth-Moon-Sun	Feb 14 2010	N				
	Elenin-Earth-Venus	Feb 18 2010		China/RU/N.Korea	Mw=6.9	d=578 km	CP
	Elenin-Earth-Jupiter	Feb 22 2010					
	Elenin-Earth-Sun	Feb 25 2010		China	Mw=5.2	d=10.0 km	CS
	Elenin-Earth-Sun	Feb 26 2010		Japan	Mw=7.0	d=25.0 km	CS
C	Elenin-Earth-Sun; Earth-Sun-Jupiter; Sun	Feb 27 2010	F	Chile	Mw=8.8	d=23.0 km	CMPS
	Elenin-Earth-Sun	Feb 27 2010		Chile	Mw=6.9	d=35.0 km	CS
	Elenin-Earth-Sun	Feb 27 2010		Argentina	Mw=6.3	d=10.0 km	CS
	Elenin-Earth-Mercury	Mar 04 2010		Taiwan	Mw=6.3	d=21.0 km	CP
	Elenin-Earth-Mercury	Mar 04 2010		Vanuatu	Mw=6.5	d=176 km	CP
D	Elenin-Earth-Mercury	Mar 05 2010		Chile	Mw=6.6	d=18.0 km	CP

	Elenin- Earth -Mercury	Mar 05 2010		Indonesia	Mw=6.3	d=21.0 km	CP
	Elenin- Earth -Mercury; Earth - Sun -Mercury	Mar 08 2010		Turkey	Mw=6.1	d=12.0 km	CPS
	Earth - Sun -Mercury; Saturn- Earth -Venus	Mar 11 2010		Chile	Mw=6.9	d=11.0 km	PS
	Earth - Sun -Mercury; Saturn- Earth -Venus	Mar 11 2010		Chile	Mw=6.7	d=18.0 km	PS
	Earth - Sun -Mercury-Uranus	Mar 14 2010		Japan	Mw=6.5	d=32.0 km	PS
	Earth - Sun -Mercury-Uranus; Sun	Mar 16 2010	N	Chile	Mw=6.7	d=18.0 km	MPS
	Saturn- Earth - Sun	Mar 20 2010		Papua NG	Mw=6.6	d=415 km	PS
	Earth -Mercury-Venus; Moon- Earth - Sun	Mar 30 2010	F	India	Mw=6.7	d=34.0 km	MPS
	Earth -Mercury-Venus	Apr 04 2010		Mexico	Mw=7.2	d= 4.0 km	P
	Earth -Mercury-Venus	Apr 06 2010		Indonesia	Mw=7.8	d=31.0 km	P
E	Earth -Mercury-Venus	Apr 11 2010		Solomon Isles	Mw=6.8	d=21.0 km	P
	Earth -Mercury-Venus; Earth -Moon- Sun	Apr 13 2010	N	China	Mw=6.9	d=17.0 km	MPS
	Earth -Mercury-Venus	Apr 18 2010		Afghanistan	Mw=5.6	d=13.0 km	P
	Earth -Mercury-Venus	Apr 20 2010		Australia	Mw=5.2	d= 0.0 km	P
	Saturn- Earth -Uranus	Apr 26 2010		Taiwan	Mw=6.5	d=15.0 km	P
	Earth -Mercury- Sun	Apr 30 2010		Bering Sea	Mw=6.5	d=14.0 km	PS
	Elenin- Earth -Neptune(Earth -Mercury- Sun)	May 05 2010		Indonesia	Mw=6.6	d=27.0 km	P(S)
	Elenin- Earth -Neptune(Earth -Mercury- Sun)	May 06 2010		Chile	Mw=6.2	d=37.0 km	P(S)
F	Elenin- Earth -Neptune(Earth -Mercury- Sun)	May 09 2010		Indonesia	Mw=7.2	d=38.0 km	P(S)
	Elenin- Earth -Neptune(Earth -Mercury- Sun)	May 14 2010	N	Algeria	Mw=5.2	d= 2.0 km	MP(S)
	Saturn- Earth -Jupiter	May 24 2010		Brazil	Mw=6.5	d=581 km	P
G	Saturn- Earth -Jupiter	May 26 2010		Japan	Mw=6.5	d=10.0 km	P
	Saturn- Earth -Jupiter; Moon- Earth - Sun	May 27 2010	F	Vanuatu	Mw=7.1	d=31.0 km	MPS
	Mars- Earth -Neptune	May 31 2010		Andaman, India	Mw=6.5	d=112 km	P
	Earth -Jupiter Uranus; Earth - Moon - Sun	Jun 12 2010	N	Nicobar, India	Mw=7.5	d=35.0 km	MPS
H	Earth -Jupiter Uranus	Jun 16 2010		Indonesia	Mw=7.0	d=18.0 km	P
	Earth -Jupiter Uranus	Jun 16 2010		Indonesia	Mw=6.6	d=11.0 km	P
	Earth - Sun -Mercury; Moon - Earth - Sun	Jun 26 2010	F	Solomon Isles	Mw=6.7	d=35.0 km	MPS
	Earth - Sun -Mercury	Jun 30 2010		Mexico	Mw=6.3	d=20.0 km	PS
	Earth -Venus-Elenin	Jul 14 2010		Chile	Mw=6.6	d=22.0 km	CP
	Saturn- Earth -Uranus	Jul 18 2010		Alaska USA	Mw=6.6	d=14.0 km	P
	Saturn- Earth -Uranus	Jul 18 2010		Papua NG	Mw=6.9	d=28.0 km	P
	Saturn- Earth -Uranus	Jul 18 2010		Papua NG	Mw=7.3	d=35.0 km	P
	Saturn- Earth -Uranus	Jul 23 2010		Philippines	Mw=7.3	d=607 km	P
I	Saturn- Earth -Uranus	Jul 23 2010		Philippines	Mw=7.6	d=586 km	P
	Saturn- Earth -Uranus	Jul 23 2010		Philippines	Mw=7.4	d=641 km	P
	Saturn- Earth -Uranus	Jul 24 2010		Philippines	Mw=6.6	d=553 km	P
	Saturn- Earth -Uranus; Moon - Earth - Sun	Jul 29 2010	F+3	Philippines	Mw=6.6	d=627 km	MPS
	Saturn- Earth -Uranus	Jul 30 2010		Iran	Mw=5.4	d=24 km	P
	Mars- Earth -Jupiter	Aug 04 2010		Papua NG	Mw=6.5	d=226 km	P
	Mars- Earth -Jupiter	Aug 04 2010		Papua NG	Mw=7.0	d=44.0 km	P
	Venus- Earth -Jupiter; Earth - Moon - Sun	Aug 10 2010	N	Vanuatu	Mw=7.3	d=25.0 km	MPS
J	Venus- Earth -Jupiter	Aug 12 2010	N+3	Ecuador	Mw=7.1	d=207 km	MPS
	Venus- Earth -Jupiter	Aug 13 2010		Mariana Isles	Mw=6.9	d=10.0 km	P
	Venus- Earth -Jupiter	Aug 14 2010		Mariana Isles	Mw=6.6	d=13.0 km	P
	Earth -Venus-Mars Saturn- Earth -Jupiter	Aug 20 2010		Papua NG	Mw=6.4	d=51.0 km	P
K	Earth -Venus-Mars	Aug 27 2010		Iran	Mw=5.7	d= 7.0 km	P
	Earth -Venus-Mars	Aug 29 2010		China	Mw=4.9	d=53.0 km	P
	Earth -Mercury- Sun -Elenin	Sep 03 2010		Alaska USA	Mw=6.5	d=24.0 km	CPS
	Earth -Mercury- Sun -Elenin	Sep 03 2010		New Zealand	Mw=7.0	d=12.0 km	CPS
	Earth -Venus-Mars	Sep 27 2010		Iran	Mw=5.8	d=27.0 km	P
	Earth -Venus-Mars	Sep 29 2010		Indonesia	Mw=7.0	d=26.0 km	P
L	Earth -Venus-Mars; Earth - Sun -Saturn; Jupiter- Earth -Mercury	Oct 01 2010					
	Earth -Venus-Mars	Oct 10 2010		Pakistan	Mw=5.2	d=33.0 km	P
	Earth - Sun -Mercury	Oct 21 2010		California Gulf	Mw=6.7	d=10.0 km	PS
	Earth -Venus-Mercury	Oct 25 2010		Indonesia	Mw=7.8	d=20.0 km	P
	Earth -Venus- Sun	Oct 29 2010					
	Jupiter- Earth -Elenin	Nov 03 2010		Indonesia	Mw=6.1	d=29.1 km	CP
M	Jupiter- Earth -Elenin	Nov 03 2010		Serbia	Mw=5.4	d=10.0 km	CP
	Jupiter- Earth -Elenin; Earth -Moon- Sun	Nov 06 2010	N	Iran	Mw=4.9	d= 5.0 km	CMP
	Elenin- Earth -Uranus	Nov 10 2010		India	Mw=6.5	d=10.0 km	CP
N	Earth -Mercury-Mars; Moon - Earth - Sun	Nov 21 2010	F				
	Elenin- Earth -Uranus	Nov 30 2010		Japan	Mw=6.8	d=487 km	CP
	Elenin- Earth -Uranus	Dec 02 2010		Papua NG	Mw=6.6	d=33.0 km	CP
	Earth -Mercury-Mars	Dec 14 2010					
	Earth -Mercury- Sun	Dec 19 2010		Ethiopia	Mw=5.1	d=10.0 km	PS
O	Earth -Mercury- Sun	Dec 20 2010		Iran	Mw=6.7	d=12.0 km	PS
	Earth -Mercury- Sun ; Moon - Earth - Sun	Dec 21 2010	F	Japan	Mw=7.4	d=17.0 km	MPS
	Earth -Mercury- Sun	Dec 25 2010		Vanuatu	Mw=7.3	d=12.0 km	PS

Table 1. Comparison of the Earth's all astronomical alignments v. all strong ($-M6+$) earthquakes, of 2010. Earthquake labels: C for Elenin-caused, M for Moon-caused, P for planetary-caused, S for Sun-caused alignment. Consecutive bold caps on the left hand-side mark the cases of the long ($\Delta t > 3$ days) alignments; see Figure 1. The Moon phase labels: 'N' for New Moon, 'F' for Full Moon; both to within ± 1 day. Underscored '**Sun**' marks a solar eclipse, while underscored '**Moon**' marks a lunar eclipse; both of any type and to within 2 lunar months, or within 1 lunar month when in bold.

Discussion

As seen from Table 1, all strong earthquakes of the year 2010 occurred during a long ($\Delta t > 3$ days) astronomical alignment. The alignments were occurring at the rate of some 20-30 times per year before the Elenin crossed into the Uranus orbit in 2006, and around 30-40 times per year afterwards.

Table 1 and Figure 1 reveal a regular pattern for dissipation of energy in all cases (labeled A-O). The pattern is better resolved for longer lasting alignments, i.e., those that can be related to more than a minimum of three of the strong earthquakes; see Figure 1. As expected for a georesonator (as oscillations add up), magnification of the Earth masses' oscillation intensifies as the alignment gets straighter; while it fades out as the alignment fades out. Then brief alignments, of up to three days in duration, can not generally be related to strong earthquakes. For example, the killer Haiti earthquake of 12 January came at a culmination

of the Earth-Sun-Venus long alignment lasting for several days due to the Sun's size.

The focal depth is of no relevance here, except for some cases of the lunar forcing (namely: I, J) [1], indicating that all strong seismicity on Earth is rather due to a general external mechanism such as the georesonator as forced by all significant celestial objects.

Proximity of the Earth to the alignments of other celestial bodies, particularly of those involving the Sun, can result in intense seismic activity such as at the Yellowstone, US, which caused a swarm with thousands of quakes during the Earth's proximal pass by the Mars-Sun-Venus alignment of 17-25 January. Even when coming in triplets such as of 21 October, the short alignments seem unable to cause strong earthquakes. Note that the alignments are relatively rare events that occur on average less than once a week, while the multiple ones occur on average less than once a month.

ALIGNMENTS	DATE	MOON	LOCATION	MAGNITUDE	DEPTH	LABEL
Saturn-Earth-Sun	Nov 16 2000		Papua NG	Mw=8.0	d=33.0 km	PS
Mars-Earth-Mercury; Earth-Moon-Sun	Jun 23 2001	N+1	Peru	Mw=8.4	d=33.0 km	MPS
Earth-Venus-Mercury; Earth-Moon-Sun	Nov 03 2002	N	Alaska US	Mw=7.9	d=5.0 km	MPS
Earth-Moon-Sun	Sep 25 2003	N	Japan	Mw=8.3	d=27.0 km	MS
Earth-Mercury-Venus	Dec 23 2004		Macquarie NZ	Mw=8.1	d=10.0 km	P
Earth-Mercury-Venus; Moon-Earth-Sun	Dec 26 2004	F	Indonesia	Mw=9.1	d=30.0 km	MPS
Earth-Mercury-Sun; Earth-Sun-Venus	Mar 28 2005		Indonesia	Mw=8.6	d=30.0 km	PS
Jupiter-Earth-Sun	May 03 2006		Tonga	Mw=8.0	d=55.0 km	PS
Earth-Sun-Venus-Jupiter	Nov 15 2006		Kuril Isles RU	Mw=8.3	d=30.3 km	PS
Earth-Sun-Mercury	Jan 13 2007		Kuril Isles RU	Mw=8.1	d=10.0 km	PS
Mars-Earth-Elenin; Moon-Earth-Sun	Apr 01 2007	F	Solomon Isles	Mw=8.1	d=10.0 km	CMPS
Earth-Venus-Elenin	Aug 15 2007		Peru	Mw=8.0	d=39.0 km	CP
Earth-Moon-Sun	Sep 12 2007	N	Indonesia	Mw=8.5	d=30.0 km	MS
Earth-Moon-Sun	Sep 12 2007	N	Indonesia	Mw=7.9	d=30.0 km	MS
Earth-Moon-Sun	Dec 09 2007	N	Fiji	Mw=7.8	d=149.0 km	MS
Elenin-Earth-Neptune	May 12 2008		China	Mw=7.9	d=19.0 km	CP
Earth-Mercury-Jupiter	Jan 03 2009		Indonesia	Mw=7.7	d=17.0 km	P
Earth-Sun-Mercury	Jul 15 2009		New Zealand	Mw=7.8	d=12.0 km	PS
Earth-Venus-Elenin	Sep 29 2009		Samoa	Mw=8.1	d=18.0 km	CP
Venus-Earth-Uranus	Oct 07 2009		Vanuatu	Mw=7.8	d=35.0 km	P
Elenin-Earth-Sun; Earth-Sun-Jupiter; Moon	Feb 27 2010	F	Chile	Mw=8.8	d=23.0 km	CMPS
Elenin-Earth-Sun; Earth-Mercury-Uranus	Mar 11 2011		Japan	Mw=9.0	d=32.0 km	CPS

Table 2. Comparison of the Earth's astronomical alignments at the peak-times, v. very strong (~M8+) earthquakes of the decade of 2000's (expanded by the earthquakes from years 2000, and the available part of 2011). Labels as before.

Table 2 shows that the epochs of the very strong earthquakes from the decade of 2000's coincide in time with the astronomical alignments, at around their peak-times. Note that, in terms of very strong seismicity, the Elenin started playing a role in 2007, and continued doing so, contributing in 6 out of the 22 alignment-relating seisms. Similarly, the Sun participated in 19 such alignments, the Mercury in 9, the Venus in 8, the Moon in 9, the Mars in 2, the Jupiter in 4, the Saturn in 1, the Uranus in 2, and the Neptune in 1. The planetoid Pluto played no role.

The planets generally play lesser role in seismicity-relating alignments the farther they are from the Sun, not from the Earth. Besides being expected (since orbital periods generally become longer with an increase in orbital radius), this is also in agreement with the hyperresonator extension of the georesonator concept: the here empirically demonstrated mechanism for the generation of seismicity lies outside the Earth. Note that the alignments with the Sun can last up to three or even more days, due to the Sun's size and consequently a greater gravitational shadow.




Figure 2. Occurrence of M8+ earthquakes 1902-2011 (so far), per annum. Note the largest increase in 2007, coinciding with the Elenin starting to play a role in the seismicity-related alignments, Table 2. Polynomial trend of 4th order.

ALIGNMENTS	DATE	(Δt)	MOON	LOCATION	MAG	DEPTH	LABEL
Earth-Sun-Mercury; Earth-Sun-Venus	May 22 1960	8,45		Chile	Mw=9.5	d=33.0 km	PS
Earth-Mercury-Jupiter; Earth-Sun-Mercury	Mar 28 1964	12,24	F	Alaska US	Mw=9.2	d=23.0 km	MP
Earth-Mercury-Venus; Saturn-Earth-Sun;M	Dec 26 2004	28,40	F	Indonesia	Mw=9.1	d=30.0 km	MPS
Elenin-Earth-Sun; Earth-Mercury-Uranus	Mar 11 2011	6, 8		Japan	Mw=9.0	d=32.0 km	CPS
Jupiter-Earth-Sun; Jupiter-Earth-Mercury	Nov 04 1952	12,15		KamchatkaRU	Mw=9.0	d=30.0 km	MPS
Elenin-Earth-Sun; Earth-Sun-Jupiter;Moon	Feb 27 2010	7, 4	F	Chile	Mw=8.8	d=23.0 km	CMPS
Earth-Sun-Venus; Neptune-Earth-Uranus	Jan 31 1906	30,20		Ecuador	Mw=8.8	d= unknown	PS
Elenin-Earth-Sun; Jupiter-Earth-Saturn;MS	Feb 04 1965	12,80	N+3	Alaska US	Mw=8.7	d=Buldir block	CMPS
Earth-Mercury-Sun; Earth-Sun-Venus	Mar 28 2005	4, 7		Indonesia	Mw=8.6	d=30.0 km	PS
Earth-Mercury-Saturn; Jupit-Earth-Sun;MS	Aug 15 1950	8,25	N+2	Assam, Tibet	Mw=8.6	d=unknown	MPS
Earth-Mercury-Venus; Jupiter-Earth-Sun	Mar 09 1957	4,12		Alaska US	Mw=8.6	d=33.0 km	P(S)

Table 3. Comparison of the top 11 greatest (all strongest, M8.6+) earthquakes recorded instrumentally (since 1902), and the matching astronomical alignments. The dashed line separates the high-strongest (M9+) earthquakes. Δt denotes estimated duration (in days) of the alignments. The labeling and luni-solar phases/eclipses as in Table 1.

Table 3 shows eleven strongest (M8.6+) earthquakes recorded instrumentally (i.e., since 1902) v. the matching astronomical alignments. Multiple alignments can be noted on the day of the earthquake. Remarkably, three out of six high-strongest (M9+) earthquakes recorded to day have occurred during the Full Moon. Four of the strongest recorded earthquakes have occurred in the last decade, and two in the last year due to the approaching Elenin.

The Sun participated in 18 alignments, the Mercury in 9, the Venus in 5, the Moon in 5, the Jupiter in 6, the Elenin in 3, the Saturn in 3, the Uranus in 2, and the Neptune in 1. The Mars and the Pluto played no role. Thus a general trend as in Table 1 is largely preserved

here too. Interestingly, neither the Mars nor the Pluto played any role in any earthquake examined in this paper.

If luni-solar eclipses play a role, then it is only general (see Table 1) albeit not particular, e.g., they seem to play no role at all in the high-strongest (M9+) seismicity. This in turn would mean that their general role is not real either, and that it appears as such only because of a denser sample when more earthquakes are considered; given that there is 4-6 eclipses of any kind per year.

A phase of up to 3 days can occur in lunar forcing which results in deep earthquakes [1]. This is evident here for the Alaska, 1965 event, and possibly, for the Tibet 1950 event, too.




Figure 3. Occurrence of M8.6+ (the top 11) earthquakes between 1902–2011 (so far), per annum. Note that, for the last half a century, these events came in subsequent pairs, i.e., without a whole calendar year in between that can be called calm in the sense of the high-strongest seismicity. This indicates intensity increase of georesonator's external forcing, coinciding with the Elenin starting (in 1965) to play a role in the seismicity-relating alignments of past century; Table 3.

In order to make the georesonator concept useful, a one-on-one relationship ought to be shown for a minimum of 67% earthquakes potentially dangerous to humans. Therefore, one has to examine how well all of the astronomical alignments over a test-period match the very strong seismicity. Expectedly, as it can be seen from Table 1, all of the long alignments do coincide in time with the occurrence of more than one strong earthquake. Comparison in Table 3, from the JPL data, against the USGS annual data as averaged over the Centennial Catalog, shows that there are on average 20-40 astronomical alignments of any duration, per annum, v. less than 100 strong earthquakes per annum. Thus Tables 1-3 essentially establish, at a well over 67% rate, a desired one-on-one relationship between the very strong seismicity and the astronomical alignments. The matching rate for the testing data was actually above 90%, which is then adopted hereby as the declared accuracy of approximate earthquake prediction by the georesonator concept, pending more detailed investigations into the tectonic plates' own characteristic frequencies. But what is the extent and the meaning of the approximation as inferred above?

In the classical view, successful earthquake prediction requires exact magnitude, time and location. However, given that the herein proved georesonator concept applies to the physics behind the Earth's strongest seismicity (of potentially catastrophic outcome to humans), such a definition must be regarded impractical and too rigid. The definition is then amended and made more specific: *–Successful prediction is one that can predict a very strong or strongest earthquake to within a few-days interval and at a handful of locations globally.*

Obviously, the largest absence of land mass on the georesonator will necessarily act as a natural attenuator. This in turn explains a relative seismic tranquility of inland v. oceanic

regions in terms of very strong earthquakes. It is thus evident why the Pacific Ocean, as the largest land mass discontinuity, makes the most suitable region for hosting one Ring of Fire that absorbs most of the Earth's magnified vibration that is due to outer forcing. By acting so, the circum-Pacific makes other similar regions relatively calm, such as the circum-Atlantic or the circum-Mediterranean. As an alignment nears, foreshocks occur normally in a matter of days or weeks prior to the main shock, followed by aftershocks as the alignments fade out.

Pinpointing strongest earthquakes' location is a matter of applying the existing structural engineering knowledge to future data gathered via globally gridded networks of sensors. Given that the demonstration of georesonator also proves the hyperresonator, it can be said that, generally, a larger gravitational shadow will result in a more energetic response by the georesonator, albeit not proportionately to either the body's mass or astronomical distance from the Earth, but from the Sun instead. Also, the georesonator is the exact solution to a specific case of the previously unsolved three-body problem of the Newtonian mechanics.

The ongoing increase in seismic activity due to combined effects of the Elenin and other celestial objects is manifested in form of phases longer than 3 days, and displacements of more than 10 m. This will continue until the comet crosses into the Earth's orbit around 1 August 2011, when the seismicity will subside as the comet speeds up significantly. At that time it will not have enough time for participating in long astronomical alignments in order to pose imminent danger to the Earth as before. The strongest seismicity will then again increase around 20 October 2011, i.e. upon the comet's crossing of the Earth's orbit on the way out, only to continue subsiding till year 2016. It will finally fade out in terms of very strong seismicity by year 2060.

Conclusion

The Earth's strong seismicity is unrelated to tectonics, and they both arise due to the same external (astronomical) causes. So their mutual causality is not real either. This discovery can have significant effects in preserving human life and habitat, mainly in quake-prone regions. Combined with careful studies of the structural characteristics of the lithosphere, knowledge unveiled via the georesonator concept now offers a real prospect for scientific earthquake forecast. Approximate forecast is feasible in time, location and magnitude. Time-wise, this

can be done to within a few days, by monitoring the Earth's response to a long alignment as it occurs. Location-wise, this can be done by narrowing the location down to geographical frontiers of the regions/plates whose oscillation frequencies are expected to reach the collapse mode considerably sooner than any other's, as the gravitational shadow traverses the Earth (the candidate-regions). Magnitude-wise, this can be done within a few degrees of magnitude, as most earthquakes shown here to be caused by the alignments are of the $\sim M6+$ strength.

References

1. Omerbashich, M. (2007) Magnification of mantle resonance as a cause of tectonics. *Geodinamica Acta (European J of Geodynamics)* 20(6) 369-383. <http://arxiv.org/abs/physics/0612177>
2. Omerbashich, M. (2009) Scale invariability. <http://arxiv.org/abs/0801.0876>
3. JPL – Comet Elenin, orbital solutions (2011). <http://ssd.jpl.nasa.gov/sbdb.cgi?sstr=C/2010 X1>
4. USGS – Earthquakes Lists & Maps (2011). <http://earthquake.usgs.gov/earthquakes>
5. NASA – Moon Phases: 6000 Year Catalog (2011). <http://eclipse.gsfc.nasa.gov/phase/phasecat.html>

Examples of alignments related to strongest earthquakes of the decade of 2000's




Figure 4. Astronomical alignment (red) Earth-Mercury-Venus on day of M9.1 Indonesia quake of 26-Dec-2004, Table 2.




Figure 5. Astronomical alignment (red) Jupiter-Earth-Sun on the day of M8 Tonga earthquake of 03-May-2006, Table 2.




Figure 6. Astronomical alignment (red) Elenin-Earth-Sun on the day of M8.8 Chile earthquake of 27-Feb-2010, Table 2.




Figure 7. Astronomical alignment (red) Elenin-Earth-Mercury, -3 day of M9 Japan earthquake of 11-Mar-2011, Table 2.